



600L Semi-Hydraulic Mounted Field Sprayer

AFS-600B



Specs

General Specs	
Capacity	600L
Width without boom	1 450mm
Length without boom	940mm
Total Height	2 070mm
Pump Type	C96
Boom Length	12m
Regulator Model	OSR
Pressure Safety Valve	standard
Tank Mixer	standard
Tank Material	polyethylene
Hand Washing Tank	5LL
Tank Washing System	60LL
PTO Rotation	540rpm
Required Power	50-60HP



Total Weight	230kg
Boom Working Width	12m
Boom Total Length	200mm
Boom Total Width	2700mm
Boom Type	Mechanical
Number of the Nozzles	25pcspcs
Nozzle Type	Conical/T-Jet
Distance Between Nozzle	500mm
Boom Height	570mm
Boom Weight	63kg
Capacity	800L
Width without boom	1 750mm
Length without boom	940mm
Total Height	2 070mm
Pump Type	C96
Boom Length	12m
Regulator Model	OSR
Pressure Safety Valve	standard
Tank Mixer	standard
Tank Material	polyethylene
Hand Washing Tank	5L
Tank Washing System	100L
PTO Rotation	540rpm
Required Power	70-80HP
Total Weight	260kg
Boom Working Width	14m
Boom Total Length	530mm
Boom Total Width	2 720mm



Boom Type	heavy-duty semi-hydraulic
Number of the Nozzles	29pcs
Nozzle Type	Conical/T-Jet
Distance Between Nozzle	500mm
Boom Height	600mm
Boom Weight	150kg

